Boat Model: Beneteau Oceanis 43

**Year:** 2007 - Hull Nr. 2072

WIN: FR-BEYG4021C707

### RIGGING

- Standard mast 9/10 electro-polished aluminium
- Anodised aluminium boom
- 2 Backstays with turnbuckles
- Rigid kicking strap with tackle
- Genoa furling system with drum on the deck
- Mainsail sheet track
- Rigging run back to cockpit (except boom topping lift)
- 2 fast reefing ropes, 1 manual reef
- 2 Self-tailing genoa sheet winches (H46.2 STC). 2 Self tailing roof winches (H40.2 STC) (1 electric on port side)

# MOORING -ANCHORING\_\_\_\_\_

- Self-bailing chain locker
- Single roller stainless steel bow fitting with offset roller
- 12 V 1000 W Vertical electrical windlass Remote control.
- Delta anchor 20 kg with chain

### COCKPIT

- 2 Cockpit locker
- 1 Lockers under helm seat to starboard
- 1 Wet locker between tiller seats
- 1 Gas locker with space for 2 bottles under port tiller seat with pressure reducing valve and safety tap
- Natural solid wood slatted cockpit benches

- 2 Steering wheel consoles in stainless steel -900mm diameter leather covered - rudder systems on partition - metal cable transmission system -
- Stainless steel handrail -
- Raymarine navigation instrument stand
- 1 Deck hole for access to tiller system
- One wooden foldable cockpit table (to be re varnished)

### SAFETY ON DECK

- 1 Open stainless steel forward pulpit
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- Double guardrail and stainless steel stanchions Opening to port and to starboard in guardrail
- 1 liferaft Seaco (to be serviced)

### ELECTRONICS

- Raymarine plotter C80
- Raymarine autopilot P70 (new 2017)
- Wind vane
- Sonar
- Log
- VHF
- Radio/stereo with CD with built-in speakers (new 2017)
- TV/TV antenna
- Webasto diesel heater

### GALLEY

- Headroom: 2,00 m
- Kitchen along the hull
- White laminated worktop
- 1 Stainless steel sink 2 rectangular basins Stainless steel 1 Mixer tap coldwater / hot under pressure

- 1Gascooker 2hobs-stainlesssteeloven,
- 1 Cool box 170 I, top opening 12 V Refrigeration unit
- Fitted cupboards and closed cubbyholes (Shelf Bin tea towel holder)
- Cubbyhole with stainless steel beading
- 1 Hull porthole with curtain
- 1 Fixed deck house side window with concertina blind.

# CHART TABLE TO PORT\_\_\_\_

- Table with flap Glove box Storage under and behind seat back
- 1 White light fitting / Red

### SALOON TO STARBOARD

- Headroom: 2,00 m
- L-shaped saloon bench seat double density foam
- 1 Seating / Removable locker
- Central bench seat with storage locker
- Saloon table in only 1 piece Varnished wooden top
- Storage space along the hull Storage under bench seat.
- 2 Panoramic deck house windows with concertina blinds
- 1 Fixed deck house side window with concertina blind
- 1 Opening deck hatch with shutter / Mosquito net

### STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1,95 m
- Access through saloon and the starboard aft cabin
- Washroom moulded in one piece to be watertight
- Separate shower 1 shower mixer tap hot / cold water
- 1 Manual marine toilet
- 1Rigid holding tank 80L
- Wooden handrail 1 shower mixer tap hot / cold water
- 2 Mirrors

### AFT CABINS PORT AND STARBOARD\_\_\_

- 2 Symmetrical cabins each one consisting of:
- Headroom: 1,95 m

- Double bed (2,03 m 1,38 x 1,56 m) Marine mattress Cupboard Hanging locker Closed cubbyholes
- 1 Hull porthole with curtain
- 1 Opening porthole with curtain
- 1 Cockpit porthole with curtain
- 1 Opening deck hatch with shutter / Mosquito net

### ENGINE

- Engine Yanmar Diesel 54 hp/HP with shaft
- Engine control Control panel in cockpit
- Engine compartment: Foam soundproofing Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 80 Ah
- 1 Rotation moulded diesel tank 200 L (under starboard aft berth) Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water Diesel Decanter
- Polyester guard moulded into hull
- Fixed three blade bronze propeller
- 1 Engine access through companionway (opening with 2 gas pistons) -
- 2 Engine access through aft cabins

# ELECTRICITY \_\_\_\_\_

- 12 V circuit 220 V circuit
- 1 service batteries (140 Ah) 1 Engine battery (120 Ah)
- 1 25 Ah Battery charger 1 220V shore power 1 Charge divider
- 12 V / 220 V Electrical panel (Circuit breakers Voltmeter Water gauge -
- Fuel gauge Battery warning Fuel warning Water warning
- 1 x 12VSockets-5 x 220VSockets
- Lighting:overheadlights, Lights LED- Reading lights-White/red light fitting
- Navigation lights: 1 Forward and aft navigation lights 1 Engine navigation light / Crosstree light forward of mast - 1 Mooring light on masthead
- 1 removable flex solar panel 100W
- Wire runs for options cables

- $\bullet$  2 Roto moulded freshwater tanks (200 I Starboard aft cabin 160 I Forward cabin) (New 2016 )- 2 Deck fillers Separate tank filling Tank selection with 1/4 by-pass valves
- Pressurised electric water pump Accumulator tank Inline filter
- 25 L Electric water heater (Operation off engine or on 220 V electrical system)
- 1Rigid holdingtank 80L
- Delayed shower draining and electric shower drain pumps
- 1 Electric bilge pump 1 Manual bilge pump
- 1 Electric ice box drain pump

$\sim$	T		$\overline{}$	RS
( )	ш	п	_	КЪ

Dinghy

Shaped thick mattress in pre-peak

Fire extinguisher